



## TECHNICAL DATA SHEET 产品规格单

## Potassium Monopersulfate Compound

### Description

Potassium monopersulfate compound is a free-flowing, white granular solid, soluble in water. It is present as a component of a triple salt including potassium monopersulfate, potassium sulfate and potassium bisulfate with the formula  $2\text{KHSO}_5 \cdot \text{KHSO}_4 \cdot \text{K}_2\text{SO}_4$ . The oxidation potential of potassium monopersulfate compound is derived from its peracid chemistry.

### Technical Information

- ☞ Chemical Name: Potassium Monopersulfate
- ☞ Synonyms: Potassium Peroxymonosulfate
- ☞ Molecular Formula:  $\text{K}_2\text{SO}_4 \cdot \text{KHSO}_4 \cdot 2\text{KHSO}_5$
- ☞ Molecular Weight: 614.7
- ☞ CAS Number: 70693-62-8

Product Properties	Standard Specifications
Active Oxygen, %	4.5 min.
Active Oxygen, Active Component ( $\text{KHSO}_5$ ), %	42.0 min.
Particle Size Distribution, %	Through 20 mesh 100 Through 200 mesh 10 Max.
Bulk Density, g/L	1000 min.
Lead, %	Max 0.001
Moisture, %	Max. 2.0
PH, at 25°C	
-1% solution	2.0~2.3
-3% solution	1.7~2.0
Solubility, g/l (20°C water)	256
Stability, % active oxygen loss/month	1 Max.
Moisture, %	0.5 Max.
Appearance	White granular solid, free-flowing
Packing	25 kg PP-PE bag

### Applications

Potassium monopersulfate compound provides powerful non-chlorine oxidation for a wide variety of industrial and consumer uses. It's applications may be found in oral hygiene formulations, pool and spa shock and disinfection, paper recycling, printed circuit board etching, wool shrink proofing, laundry bleaches, precious metal extraction process. Potassium monopersulfate compound is an important auxiliary agent in organic synthesis for oxidizing plenty of organics and functioning as the epoxy oxidizer of the twin bonds of organic chemicals. It's also a free radicle introductory agent in many polymeric reactions. Potassium monopersulfate can be used to oxidize hydrogen sulfide ( $\text{H}_2\text{S}$ ) and other reduced sulfur. The information presented herein is believed to be accurate but is not to be taken as a warranty, guarantee or

The information presented herein is believed to be accurate but is not to be taken as a warranty, guarantee or representation for which we assume legal responsibility. The information is offered solely for your consideration, investigation and verification, but you must determine the suitability of the product for your specific application. Users are advised to make their own tests to determine the suitability of such product or product combination for their own purposes.



## TECHNICAL DATA SHEET 产品规格单

representation for which we assume legal responsibility. The information is offered solely for your consideration, investigation and verification, but you must determine the suitability of the product you're your specific application. Users are advised to make their own tests to determine the suitability of such product or product combination for their own purposes. compounds, such as mercaptans, sulfides, disulfides, and sulfites in waste water treatment. It's also an oxygen releasing agent in aquiculture and low temperature bleaching agent in detergent formulations.

### Handling and Storage

#### Storage

- Store in a cool, well ventilated area away from all source of ignition and out of direct sunlight. Store in a dry location away from heat. Store at temperatures less than 30 °C.
- Keep away from incompatible materials. Keep containers tightly closed. Do not store in unlabeled or mislabeled containers.
- Protect from moisture. Do not store near combustible materials. Keep containers well sealed, seal only with original vent cap. Ensure pressure relief and adequate ventilation.
- Store separately from organics and reducing materials. Avoid contamination which may lead to decomposition.

#### Handling

- Avoid contact with eyes, skin, and clothing. Use with adequate ventilation.
- Do not swallow. Avoid breathing vapors, mists, or dust. Do not eat, drink, or smoke in work area.
- Prevent contact with combustible or organic materials.
- Label containers and keep them tightly closed when not in use.
- Wash thoroughly after handling.

### First-aid Measures

- Inhalation- Remove affected person to fresh air. Do not use mouth-to mouth resuscitation.
- Seek medical attention if effects persist.
- Eye contact-Flush eyes with running water for at least 15 minutes with eyelids held open. Seek specialist advice.
- Skin contact-Wash affected skin with soap and mild detergent and large amounts of water.
- Ingestion- Remove from exposure to fresh air immediately. If breathing is difficult, give oxygen. Do not use mouth-to-mouth resuscitation. Seek medical service immediately.

### Shipping Information

- Proper Shipping Name: Corrosive Solid, Acidic, Inorganic N.O.S.  
(Potassium Peroxymonosulfate)
- UN Number: UN3260

51 Baiheng Rd., Sanpeng Bridge, Shangyu, Zhejiang, China 312300

Tel: +86 575 82122059

Fax: +86 575 82002132

Web: <http://www.runyoutech.com>

E-mail: [info@runyoutech.com](mailto:info@runyoutech.com)

上虞洁华化工有限公司  
Shangyu Jiehua Chemical Co., Ltd



TECHNICAL DATA SHEET 产品规格单

- Hazard Class: 8
- Labels: 8 (Corrosive)
- Packing Group: II
- EMS: F-A, S-B

**Please read the MSDS for this chemical before using**